Installation Series



GENERAL INFORMATION

DIN rail Enclosures from ETC offer a convenient location to house your devices. Designed to work with all Unison Echo, Unison Mosaic, Response and additional third party products.

Wall-mountable version are available in mini (14 in x 8 in), small (14 in x 14 in), and large (14 in x 28 in) formats. The mini enclosure features a single piece of DIN rail, while the small and large enclosures include two aligned rails. All three variants include a repositionable voltage divider allowing re-configuration to meet the needs of the installation. All wall-mountable versions are ETL listed.

A rack-mountable version is also available for use in standard 19-inch equipment racks.

FEATURES

- Available in four options:
 - Mini (14 in x 8 in) Horizontal
 - Small (14 in x 14 in) Vertical
 - Small (14 in x 14 in) Horizontal
 - Large (14 in x 28 in) Vertical
 - Rack-mount
- Re-positionable voltage barrier

MECHANICAL

- Constructed of 16-gauge cold-rolled steel
- Finished in fine-textured, black powder coat
- DIN rails provided:
 - Mini Enclosure: 13 in (330 mm) long
 - Small Enclosures: 2x13 in (330 mm) long
 - Large Enclosure: 2x27 inin (686 mm) long
 - DIN rail kit: 16.5 inin (419 mm) long
- Complies with DIN43880 (35/7.5 rail)
- Conduit punch guide holes provided on all sides
- Re-positionable voltage divider allowing low voltage and line voltage in the same enclosure (wall-mount only)
- Configurable opening covers (rack-mount only)

REGULATORY AND COMPLIANCE

- cETLus Listed (wall-mount only)
- Conforms to ANSI/UL Standard 50/50E
- Certified to CAN/CSA Standard C22.2 No. 94.1/94.2

ORDERING INFORMATION

DIN rail Installation Enclosures

| MODEL | DESCRIPTION |
|---------|---------------------------------------|
| DIN8 | Mini DIN rail Enclosure - Horizontal |
| DIN14 | Small DIN rail Enclosure - Vertical |
| DIN14-H | Small DIN rail Enclosure - Horizontal |
| DIN28 | Large DIN rail Enclosure - Vertical |
| DIN-RM | DIN rail Rack Mount kit |



Distributed Power Series

PHYSICAL


DIN rail Enclosure Dimensions*

| MODEL | HEIGHT | | WIDTH | | DEPTH | |
|------------|--------|-------|-------|-------|-------|-----|
| | in | mm | in | mm | in | mm |
| DIN8 | 8 | 203.2 | 14 | 355.6 | 5.05 | 128 |
| DIN14 (-H) | 14 | 356 | 14 | 355.6 | 5.05 | 128 |
| DIN28 | 28 | 711 | 14 | 355.6 | 5.05 | 128 |
| DIN-RM | 7 | 177 | 19 | 483 | 10.1 | 259 |

DIN rail Enclosure Weights*

| <u> </u> | | | | | | | | |
|------------|------|------|-----------------|------|--|--|--|--|
| MODEL | WEI | GHT | SHIPPING WEIGHT | | | | | |
| | lb | kg | lb | kg | | | | |
| DIN8 | 8.85 | 4 | 10 | 4.5 | | | | |
| DIN14 (-H) | 13.4 | 6 | 15 | 6.8 | | | | |
| DIN28 | 23.1 | 10.5 | 27 | 12.2 | | | | |
| DIN-RM | 5 | 2.3 | 6.8 | 3.1 | | | | |

^{*}Weights and dimensions typical



Distributed Power Series

EXAMPLE ENCLOSURES

(Products not Included)

